

Any Tobacco Use (School-age)

Any Tobacco Use (School-age)

- Most recent data (2012): 23% of King County youth attending public schools in the 8th, 10th and 12th grades.
- Trend over time: Insufficient data to determine trend.
- Description: Used cigarettes, chew, snuff, cigars, hookah, flavored tobacco, dissolvables, or e-cigs on one or more of the past 30 days

Any tobacco use (school-age), King County, 2012

	Percent	Lower CI	Upper CI
King County (school-age in 8th, 10th and 12th grades)	23	21	25
GRADE			
Grade 8	11	10	12
Grade 10	20	19	22
Grade 12	35	33	37
GENDER			
Male	26	24	29
Female	19	17	20
RACE/ETHNICITY			
AIAN	41	34	48
Asian	13	12	15
Black	25	22	29
Hispanic	22	20	25
Multiple	26	23	29
NHPI	35	31	39
White	24	21	27
Other	22	19	25
REGION			
East	21	18	25
North	24	18	31
Seattle	23	19	27
South	23	20	26

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by income or poverty level not available.

Any tobacco use (school-age) King County, 2012



Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by income or poverty level not available.

Any tobacco use (school-age) by comparison areas

There is no Healthy People 2020 Objective for any tobacco use (school-age).

	Latest Available Year	Percent	Lower CI	Upper CI
United States	N/A	N/A	N/A	N/A
WA State	2012	25	23	27
King County	2012	23	21	25

Notes:


Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

N/A: Not available.


CI is 95% Confidence Interval.

Any tobacco use (school-age) by comparison areas



Source: Healthy Youth Survey.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
|-----| Confidence interval shows range that includes true value 95% of the time.

Any tobacco use (school-age) by regions
King County, 2012



Source: Healthy Youth Survey.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
N/A: Not available.

Produced by the
[Assessment, Policy Development & Evaluation Unit](#)
[Public Health - Seattle & King County](#)
01/15

King County
Hospitals
for a Healthier
Community